

Attorney Docket No.: KUZ0031US.NP  
Inventors: Minoru Kohara  
Serial No.: 10/584,372  
Filing Date: October 26, 2006  
Page 4

This listing of the claims will replace all prior versions and listings of claims in the application:

**Listing of the claims:**

Claim 1 (currently amended): A ~~composition~~ patch comprising a pressure-sensitive adhesive layer comprising an acrylic copolymer containing from 3 to 25% by weight of hydroxyethyl (meth)acrylate as a constituent, a plasticizer and a pseudo-crosslinking compound, wherein the ratio of the content of the plasticizer to the content of the pseudo-crosslinking compound ranges from 30:1 to 250:1, and wherein a shearing strain migration length (3g, 2min.) of the pressure-sensitive adhesive layer is not more than a thickness of the pressure-sensitive adhesive layer, and a shearing strain migration length (80g, 5min.) is not less than 10 times the thickness of the pressure-sensitive adhesive layer.

Claim 2 (currently amended): The ~~composition~~ patch according to claim 1, wherein a content of the plasticizer is from 30 to 200 parts by weight relative to 100 parts by weight of an acrylic copolymer.

Claim 3 (currently amended): The ~~composition~~ patch according to claim 1, wherein a content of the pseudo-crosslinking compound is from 0.3 to 10 parts by weight relative to 100 parts by weight of the acrylic copolymer.

Claim 4 (currently amended): The ~~composition~~ patch according to claim 1, wherein the acrylic copolymer is a

Attorney Docket No.: KUZ0031US.NP  
Inventors: Minoru Kohara  
Serial No.: 10/584,372  
Filing Date: October 26, 2006  
Page 5

copolymer comprising ~~one or more from~~ alkyl (meth)acrylate, hydroxyethyl (meth)acrylate and N-vinyl-2-pyrrolidone.

Claim 5 (currently amended): The ~~composition patch~~ according to claim 4, wherein the ~~alkyl (meth)acrylate is one or more consisting of an alcohol ester with an alkyl group of carbon numbers 4-12,~~ a content thereof being of alkyl (meth)acrylate is from 30 to 80% by weight based on the entire copolymer, a content of hydroxyethyl (meth)acrylate is from 3 to 25% by weight based on the entire copolymer, and a content of N-vinyl-2-pyrrolidone is from 5 to 25% by weight based on the entire copolymer, and the alkyl (meth)acrylate is an alcohol ester with an alkyl group of carbon numbers 4-12.

Claim 6 (canceled)

Claim 7 (currently amended): The ~~composition patch~~ according to claim 1, wherein the pseudo-crosslinking compound is one or more compounds selected from the group consisting of boric acid and/or a salt thereof, an amine compound, an aluminate and a phenol compound.

Claim 8 (currently amended): ~~A patch comprising a pressure-sensitive adhesive layer comprising the composition according to claim 1, and~~ The patch according to claim 1 further comprising a backing.

Claim 9 (original): The patch according to claim 8 comprising a skin valuable.

Attorney Docket No.: KUZ0031US.NP  
Inventors: Minoru Kohara  
Serial No.: 10/584,372  
Filing Date: October 26, 2006  
Page 6

Claim 10 (currently amended): The patch according to ~~claim 8~~ claim 9, wherein the skin valuable is a drug and/or a cosmetic material.

Claim 11 (new): The patch according to claim 1, wherein the hydroxy group in the acrylic polymer and the pseudo-crosslinking compound are bound by hydrogen bonding or van der Waals force so that a psuedo-crosslink is formed between copolymers.